

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>REPUBLIC COUNTY (Page 1 of 3)</b>							
BK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	156	<b>156</b>	<b>156</b>	72	<b>72</b>	BK
BU	BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES	231	288	237	59	<b>59</b>	BU
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	152	189	<b>152</b>	72	<b>72</b>	CA
CDAA	HOBBS SILT LOAM, FREQUENTLY FLOODED	197	<b>197</b>	<b>197</b>	72	<b>72</b>	CDAA
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	167	256	204	59	<b>59</b>	CDAR
CDBA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	159	<b>159</b>	<b>159</b>	72	<b>72</b>	CDBA
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	195	263	212	59	<b>59</b>	CDCT
CDGE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	231	261	<b>231</b>	59	<b>59</b>	CDGE
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	<b>193</b>	<b>193</b>	59	<b>59</b>	CDGS
CDLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	54	<b>54</b>	<b>54</b>	53	<b>53</b>	CDLH
CDLN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	231	261	<b>231</b>	59	<b>59</b>	CDLN
CDSA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	164	112	72	<b>72</b>	CDSA
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	228	259	<b>228</b>	72	<b>72</b>	CDTO
CE	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	221	301	250	59	<b>59</b>	CE
CF	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	207	279	228	59	<b>59</b>	CF
CH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	253	<b>206</b>	59	<b>59</b>	CH
CR	CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	183	228	<b>183</b>	59	<b>59</b>	CR
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	248	335	284	72	<b>72</b>	DT
EA	ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	115	<b>115</b>	<b>115</b>	59	<b>59</b>	EA
ED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	274	352	301	72	<b>72</b>	ED
EU	EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED	233	293	242	72	<b>72</b>	EU
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	237	261	<b>237</b>	59	<b>59</b>	GC
GR	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	<b>193</b>	<b>193</b>	59	<b>59</b>	GR
HA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	264	325	274	59	<b>59</b>	HA
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	259	309	<b>259</b>	59	<b>59</b>	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	246	266	<b>246</b>	59	<b>59</b>	HC
HD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	209	<b>209</b>	<b>209</b>	59	<b>59</b>	HD
HE	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	<b>199</b>	<b>199</b>	59	<b>59</b>	HE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>REPUBLIC COUNTY (Page 2 of 3)</b>							
HF	HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED	219	233	<b>219</b>	59	<b>59</b>	HF
HO	HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED	197	215	<b>197</b>	59	<b>59</b>	HO
HP	HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES	213	216	<b>213</b>	72	<b>72</b>	HP
HS	HOBBS SILT LOAM, OCCASIONALLY FLOODED	228	259	<b>228</b>	72	<b>72</b>	HS
HT	HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED	172	249	198	72	<b>72</b>	HT
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	176	249	198	72	<b>72</b>	HU
JWAR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	178	261	210	59	<b>59</b>	JWAR
JWBA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	38	58	<b>38</b>	59	<b>59</b>	JWBA
JWBB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	JWBB
JWGN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	115	<b>115</b>	<b>115</b>	72	<b>72</b>	JWGN
JWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	248	309	258	59	<b>59</b>	JWHB
JWHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	235	266	<b>235</b>	59	<b>59</b>	JWHC
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	186	207	<b>186</b>	59	<b>59</b>	JWHF
JWHS	ERODED	198	199	<b>198</b>	59	<b>59</b>	JWHS
JWHU	HORD SILT LOAM, RARELY FLOODED	281	351	300	72	<b>72</b>	JWHU
JWMC	MCCOOK SILT LOAM, RARELY FLOODED	201	295	244	72	<b>72</b>	JWMC
JWNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	181	340	289	72	<b>72</b>	JWNC
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	JWND
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	136	<b>136</b>	<b>136</b>	72	<b>72</b>	JWNR
JWRB	ROXBURY SILT LOAM, CHANNELED	128	<b>128</b>	<b>128</b>	72	<b>72</b>	JWRB
JWRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	217	290	239	72	<b>72</b>	JWRC
KE	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES	203	210	<b>203</b>	59	<b>59</b>	KE
KN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	160	<b>160</b>	<b>160</b>	59	<b>59</b>	KN
KP	KIPSON SOILS, 11 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	KP
LA	WELLS LOAM, 4 TO 8 PERCENT SLOPES	225	252	<b>225</b>	59	<b>59</b>	LA
LC	WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED	188	199	<b>188</b>	59	<b>59</b>	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES	57	<b>57</b>	<b>57</b>	53	<b>53</b>	LH
LOO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	184	197	<b>184</b>	59	<b>59</b>	LOO

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	Symbol
<b>REPUBLIC COUNTY (Page 3 of 3)</b>							
MR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	284	346	295	72	<b>72</b>	MR
MU	MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	240	247	<b>240</b>	72	<b>72</b>	MU
RO	COLY SILT LOAM, 25 TO 40 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	RO
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	164	112	72	<b>72</b>	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	46	175	124	59	<b>59</b>	SD
TU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	221	263	<b>221</b>	59	<b>59</b>	TU
TY	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	178	225	<b>178</b>	59	<b>59</b>	TY
WA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	26	<b>26</b>	<b>26</b>	72	<b>72</b>	WA
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	284	<b>235</b>	59	<b>59</b>	WSCS
WSKP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	WSKP
WSLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	155	226	175	59	<b>59</b>	WSLC
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST
WSTY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	210	242	<b>210</b>	59	<b>59</b>	WSTY
WSWE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	205	220	<b>205</b>	59	<b>59</b>	WSWE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
<b>REPUBLIC COUNTY (Page 1 of 2)</b>			
BK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	156	BK
BU	BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES	231	BU
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	152	CA
CDA	HOBBS SILT LOAM, FREQUENTLY FLOODED	197	CDA
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	168	CDAR
CDBA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	159	CDBA
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	195	CDCT
CDGE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	231	CDGE
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	CDGS
CDLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	54	CDLH
CDLN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	231	CDLN
CDSA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	CDSA
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	228	CDTO
CE	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	221	CE
CF	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	207	CF
CH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	CH
CR	CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	183	CR
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	271	DT
EA	ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	115	EA
ED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	292	ED
EU	EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED	233	EU
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	237	GC
GR	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	GR
HA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	264	HA
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	259	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	246	HC
HD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	209	HD
HE	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	HE
HF	HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED	219	HF
HO	HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED	197	HO
HP	HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES	213	HP
HS	HOBBS SILT LOAM, OCCASIONALLY FLOODED	228	HS
HT	HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED	175	HT
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	176	HU
JWAR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	178	JWAR
JWBA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	38	JWBA
JWBB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	10	JWBB
JWGN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	115	JWGN
JWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	248	JWHB
JWHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	235	JWHC
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	186	JWHF
JWHS	HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES, ERODED	198	JWHS
JWHU	HORD SILT LOAM, RARELY FLOODED	292	JWHU
JWMC	MCCOOK SILT LOAM, RARELY FLOODED	221	JWMC
JWNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	223	JWNC
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	JWND
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	136	JWNR

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
<b>REPUBLIC COUNTY (Page 2 of 2)</b>			
JWRB	ROXBURY SILT LOAM, CHANNELED	128	JWRB
JWRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	221	JWRC
KE	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES	203	KE
KN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	160	KN
KP	KIPSON SOILS, 11 TO 30 PERCENT SLOPES	10	KP
LA	WELLS LOAM, 4 TO 8 PERCENT SLOPES	225	LA
LC	WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED	188	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES	57	LH
LOO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	184	LOO
MR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	287	MR
MU	MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	240	MU
RO	COLY SILT LOAM, 25 TO 40 PERCENT SLOPES	10	RO
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	58	SD
TU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	221	TU
TY	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	178	TY
WA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	26	WA
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	WSCS
WSKP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	10	WSKP
WSLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	155	WSLC
WST	WASTE	10	WST
WSTY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	210	WSTY
WSWE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	205	WSWE